IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

40 Patent Application of

Katsuyuki SAITO, et. al.

Date:

July 14, 2005

Serial No.: 10/036,408

Group Art Unit:

2613

1020.00 OP

Filed:

January 7, 2002

Examiner:

Gims S. PHILIPPE

For:

ENDOSCOPIC IMAGING SYSTEM MAKING IT POSSIBLE TO DETACHABLY ATTACH EXPANSION UNIT HAVING EXTERNAL EXPANSION FACILITY AND ADD EXPANSION FACILITY FOR

IMPROVING CAPABILITY OF SYSTEM

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

PETITION AND FEE FOR AUTOMATIC EXTENSION OF TIME UNDER 37 CFR 1.17, 1.136(a) AND 35 USC 41(a)8

Sir:

Applicant(s) hereby petition(s) the Commissioner for Patents to extend the time for filing a response to the outstanding Office Action by three months. Enclosed is our check No. 212221 which includes the amount of \$1,020.00 for the petition fee in accordance with 37 CFR 1.17 computed as: 07/19/2005 BABRAHA1 00000013 10036408

<u>√</u>	Response within third month		01 FC:1253
	<u>√</u>	not small entity (\$1020)	small entity (\$510)

You are authorized to charge to our Deposit Account No. 15-0700 any additional amounts owing.

If this petition is inadequate to avoid abandonment, the Assistant Commissioner for Patents is petitioned, under 37 C.F.R. §1.136(a), to extend the time by the number of months which will avoid abandonment under 37 C.F.R. §1.135. The fee under 37 C.F.R. § 1.17 should be charged to our Deposit Account No. 15-0700.

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as First Class Mail in an envelope addressed to: Mail Stop Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on July 14, 2005:

MAX MOSKOWITZ

Name of applicant, assignee or Registered Representative

grature July 14, 2005

Date of Signature

MAX MOSKOWITZ Registration No.: 30,576

Respectfully submitted,

OSTROLENK, FABER, GERB & SOFFEN, LLP

1180 Avenue of the Americas

New York, New York 10036-8403

Telephone: (212) 382-0700